

# Table 1. PQRS measures that may apply to hospitalists

Measure number	Description	Domain
5	Rx ACE inhibitors or ARBs for heart failure with LVEF <40%	Clinical Care
6	Rx ASA or clopidogrel for CAD	Clinical Care
8	Rx beta-blocker for heart failure with LVEF <40%	Clinical Care
31	VTE prophylaxis for CVA or intracranial hemorrhage	Clinical Care
32	Rx antithrombotic for CVA or TIA	Clinical Care
33	Rx anticoagulant for CVA or TIA with persistent or paroxysmal atrial fibrillation	Clinical Care
35	Dysphagia screening prior to any oral intake for CVA or intracranial hemorrhage	Clinical Care
36	Rehab services ordered for CVA or intracranial hemorrhage or documentation of no indication for rehab services	Clinical Care
47	Documentation of advance care planning status for patients age > 65 years	Coordination of Care
76	Maximal sterile barrier technique for central venous catheter insertion	Patient Safety
128	BMI documentation and follow-up plan if outside normal parameters	Community/Population Health
130	Documentation of all current medications including prescription, over-the-counter drugs, herbals and nutritional supplements	Patient Safety

ACE = angiotensin-converting-enzyme; ARB = angiotensin II receptor blockers; ASA = acetylsalicylic acid; BMI = body mass index; CAD = coronary artery disease; VTE = venous thromboembolism; CVA = cerebrovascular accident; LVEF = left ventricular ejection fraction; TIA = transient ischemic attack.